

## CHAPTER 16

## GENITOURINARY CONDITIONS

**16.01 - Nephrolithiasis**

1. History of stone, no evidence of recent disability. Kidney tests normal: Assessment nil.
2. Recurrent episodes of stones but kidney function normal: Assessment 5-10%.
3. If hydronephrosis, obstruction, recurrent infection: Assessment 10-20%.
4. Post-op removal calculi: Assessment minimum 5%.

**16.02 - Loss of One Kidney**

1. Without symptoms and no apparent disability in the remaining kidney: Assessment 15%
2. If disability in 2nd kidney, assess as per Table to 16.01, 16.02, 16.03, and 16.04; may need consequential or paired organ ruling.

**16.03 - Dialysis**

1. for bilateral pensionable kidney disease: Assessment 100%
2. When loss of pensionable kidney - 15%, and renal failure entitlement under 36: Assessment 50% ( $\frac{1}{2} \times 100\%$ ). Total Assessment 15% + 50% = 65%.

**16.04 - Renal Transplant**

Continue assessment at 65% or 100% as per above dialysis. Hazard of rejection with need for special monitoring and drugs after discharge from hospital warrants continued assessment. Review every 6 months. If renal function improved and doing well, may reduce 10% per visit to minimum of 25% to 60% (as the case may be: 36 or fully).

CHAPTER 16

GENITOURINARY CONDITIONS

**16.05 - Assessment of Permanent Impotence** . . . . . 20%

**16.06 - Assessment of Sterility** . . . . . 10%

**16.07**

Bilateral Loss of Testicle from Injury . . . . . 60%

Loss of One Testicle from Injury . . . . . 5%

**16.08**

Mastectomy:

- Segmental Resection . . . . . 5%
- Simple Mastectomy . . . . . 10%
- Radical Mastectomy . . . . . 20%

Loss of Both Ovaries . . . . . 60%

Loss of One Ovary . . . . . 5%

Hysterectomy:

- Childbearing Years . . . . . 20%
- Post Menopausal . . . . . 5%

Benign Prostatic Hypertrophy: . . . . . 0-5%

If operated and complications with sphincter control or impotence. . . . . 5-10%

CHAPTER 16

GENITOURINARY CONDITIONS

TABLE 16.01, 16.02, 16.03, and 16.04 ASSESSMENT OF RENAL DISEASE (OTHER THAN T.B.)								
ASSESSMENT	HISTORY OF NEPHRITIS	URINE	LABORATORY TESTS, BUN, CREATININE CLEARANCE, ETC.	EDEMA	DIET	WORK	BACKACHE, HEADACHE, DYSPNEA, FATIGUE	B.P.
Nil	Remote	Normal	Normal	Nil	Normal	Normal	Nil	Normal
10%	Recent	Trace Alb.	Normal	Occasional Mild	Mild Restriction	Normal	Mild	Normal
20-30%	Current	Definite Alb. Casts	Normal	Mild	Restricted	Avoid Heavy	Slight	Slight
30-60%	Definite Renal Disease	Marked Alb.	Abnormal	Moderate	Restricted	Light	Moderate	BP <u>170</u> 110
60-100%	Definite Renal Disease	Marked Alb. Casts Urine Output	Grossly Abnormal	Marked	Marked	No	Marked with Blurred Vision, Dizziness	BP <u>200</u> 120